INDEX

Agranulocytosis, chronic, 173.
Ankylosing spondylitis, 187, 217.
Auricle, left, massive dilatation of, 81; general clinical features, 81; special clinical features, 82; fluoroscopic appearances, 86.
Blood, peripheral, frequency of stippling in lead poisoning in, 60.
Bone-marrow, frequency of stippling in lead poisoning in, 60.
Bronchoscopic studies in primary tuberculosis in childhood, 21.
Carbohydrate metabolism and gastric secretory activity, 235.
Carcinoma, thymic, Cushing's syndrome and, 133.
Chronic agranulocytosis, 173.
Circulatory dynamics in emphysema, 263.
Clinical and pathological study of renal disease: Part I. Nephritis, 149; type 1 nephritis, 150; type 2 nephritis, 155; distinction between type 1 and type 2 nephritis, 158; note on acute focal nephritis, 160.
Coronary flow, reduction in, by pituitary (posterior lobe) extract in relation to the action of nicotine and to smoking, 73; action of nicotine, 74; action of pituitary (posterior lobe) extract, 77; heart–lung preparations, 77.
Cushing's syndrome and thymic carcinoma, 133. [379.
Dextrocardia, Mendelian inheritance in,
Diuresis, water, in man, effect of smoking on, 51.
Effect of smoking on water diuresis in man, 51.
Emphysema, circulatory dynamics in, 263.
Gastric secretory activity, carbohydrate metabolism and, 235.
Genetic and environmental factors in congenital heart disease, 379; Mendelian inheritance in general and in dextrocardia, 379; congenital defects in general, 380; maternal rubella and other environmental factors, 381; discussion of illnesses during pregnancy, 389.
Glioma, optic, incidence of, in von Recklinghausen's disease, 101.
Heart disease, congenital, genetic and environmental factors in, 379; Mendelian inheritance in general and in dextrocardia, 379; congenital defects in general, 380; maternal rubella and other environmental factors, 381; discussion of illnesses during pregnancy, 389.
Honeycomb lungs, 1; associated with other disorders, 1.
Hypertension, retinal vessels in, 203.
Hypopituitarism, syndrome of, 319; pathological lesions of the pituitary, 320; acute lesions, 322; subacute lesions, 322; chronic fibrotic lesions, 325; hypophysectomy, 330; cysts and tumours, 330; analysis of the syndrome, 333; general pathological changes, 333; state of bodily nutrition, 338; other clinical aspects, 343; laboratory investigations, 347; coma and death, 351.
Idiopathic thrombocytopenic purpura, 279.
Lead poisoning, on the nature and significance of stippling in, with reference to the effect of splenectomy, 57; morphological characters of stippling in, 58; iron-staining properties of stippling in, 59; frequency of stippling in bone-marrow and peripheral blood in, 60.
Lungs, honeycomb, 1; associated with other disorders, 1.
Marchiafava Micheli syndrome, 105.
Massive dilatation of the left auricle, 81; general clinical features, 81; special clinical features, 82; fluoroscopic appearances, 86.
Mendelian inheritance in general and in dextrocardia, 379.
Metabolism, carbohydrate, and gastric secretory activity, 235.
Nephritis, 149; type 1 nephritis, 150; type 2 nephritis, 155; distinction between type 1 and type 2 nephritis, 158.
— acute focal, note on, 160.
Neurofibromatosis, multiple (von Recklinghausen's disease), primary optic atrophy in, 93.
Nicotine, reduction in coronary flow by pituitary (posterior lobe) extract in relation to the action of, and to smoking, 73.
Ocular manifestations of polyarteritis nodosa, 123.

On the nature and significance of stippling in lead poisoning, with reference to the effect of splenectomy, 57; morphological characters of stippling, 58; iron-staining properties of stippling, 59; frequency of stippling in bone-marrow and peripheral blood, 60; effect of splenectomy in guinea-pigs poisoned with lead, 62.
Optic atrophy, primary, in von Recklinghausen's disease (multiple neurofibromatosis), 93; pathology of the optic-nerve tumours, 99; incidence of optic glioma in von Recklinghausen's disease, 101.
Optic-nerve tumours, pathology of, 99.
Osler, William, 275, 403.
Pituitary (posterior lobe) extract, reduction in coronary flow by, in relation to the action of nicotine and to smoking, 73; action of pituitary (posterior lobe) extract, 77; heart–lung preparations, 77.
Poisoning, lead, on the nature and significance of stippling in, with reference to the effect of splenectomy, 57; morphological characters of stippling in, 58; iron-staining properties of stippling in, 59; frequency of stippling in bone-marrow and peripheral blood in, 60.
Polyarteritis nodosa, ocular manifestations of, 123.
Primary optic atrophy in von Recklinghausen's disease (multiple neurofibromatosis), 93; pathology of the optic-nerve tumours, 99; incidence of optic glioma in von Recklinghausen's disease, 101.
Proceedings of the Association of Physicians of Great Britain and Ireland, 1949: Forty-third Annual General Meeting, 393.
Purpura, review of, associated with infections, 299.
— thrombocytopenic, idiopathic, 279.
— thrombocytopenic, three cases of, occurring after rubella, with a review of purpura associated with infections, 299; investigation of cases of uncomplicated rubella, 306.
Reduction in coronary flow by pituitary (posterior lobe) extract in relation to the action of nicotine and to smoking, 73; action of pituitary (posterior lobe) extract, 77; heart–lung preparations, 77.
Renal disease, clinical and pathological study of: Part I. Nephritis, 149; type 1 nephritis, 150; type 2 nephritis, 155; distinction between type 1 and type 2 nephritis, 158; note on acute focal nephritis, 160.
Retinal vessels in hypertension, 203.
Rubella, three cases of thrombocytopenic purpura occurring after, 299.
Smoking, action of, reduction in coronary flow by pituitary (posterior lobe) extract in relation to the action of nicotine and to, 73.
— effect of, on water diuresis in man, 51.
Splenectomy, effect of, on the nature and significance of stippling in lead poisoning, with reference to, 57; in guinea-pigs poisoned with lead, 62.
Spondylitis, ankylosing, 187, 217.
Stippling in lead poisoning, on the nature and significance of, with reference to the effect of splenectomy, 57; morphological characters of, 58; iron-staining properties of, 59; frequency of, in bone-marrow and peripheral blood, 60.
Syndrome of hypopituitarism, 319; pathological lesions of the pituitary, 320; acute lesions, 322; subacute lesions, 322; chronic fibrotic lesions, 325; hypophysectomy, 330; cysts and tumours, 330; analysis of the syndrome, 333; general pathological changes, 333; state of bodily nutrition, 338; other clinical aspects, 343; laboratory investigations, 347.
Three cases of thrombocytopenic purpura occurring after rubella, with a review of purpura associated with infections, 299; investigation of cases of uncomplicated rubella, 306.
Thrombocytopenic purpura, idiopathic, 279.
— three cases of, occurring after rubella, with a review of purpura associated with infections, 299; investigation of cases of uncomplicated rubella, 306.
Thymic carcinoma, Cushing's syndrome and, 133.
Tuberculosis, primary, in childhood, bronchoscopic studies in, 21.
Tumours, optic-nerve, pathology of, 99.
von Recklinghausen's disease (multiple neurofibromatosis), primary optic atrophy in, 93; optic glioma in, 101.
Water diuresis in man, effect of smoking on, 51.